E3 PANEL INDUSTRIES

CORPORATE OFFICE D-12/2, Okhla Industrial Area, Phase II, New Delhi - 110020

WORKS Plot No-4 Ecotech, Greater Noida - 201308, UP

Customer Care: 93109 34090 | Email: acp@e3panels.com

Website: www.e3acp.com | www.e3groupindia.com

For Design Inspiration Follow Us @









HPL **PANELS**









Success - at E3 Group is all about a question with the right combinations: Where delighting consumers sparks imagination, curiosity arouses creativity, and innovation provides opportunities. Together we break new ground and dare to create surprising products, repeatedly causing the observer to marvel at our creations. That is our unifying mission.

E3 Group is the leading manufacturer of interior and exterior products with more than 6,000 dealers network in PAN INDIA. Plants are fully equipped with state-of-the-art technology and modern infrastructure. E3 believes in Made in India world-class quality products by "Delivering promise and exceeding expectations".


E3 Group is the Leading Manufacturer of

INTERIOR

- E3 HDMR MDF
- EDGE BAND
- CLADS SEAMLESS PANEL
- LAMINATES
- ACRYLIC LAMINATES & PANELS
- MODULAR KITCHEN | WARDROBE | DOOR
- HARDWARE
- PU STONE
- SOFFIT PANELS
- PET ACOUSTIC PANELS
- PLYWOOD

EXTERIOR

- ACP
- HPL
- EXTERIOR WPE CLADS
- ARTIFICIAL GRASS
- SPORTS TURF
- EXTERIOR WPE DECKING







Welcome To E3 HPL

When it's time to give your design a new dimension, E3 Panels offer the flexibility and character you need. E3 High-Pressure Laminate (HPL) is considered one of the most durable decorative surface materials available and boasts enhanced performance. Engineered HPL sheets are manufactured using advanced European technologies and high-quality raw materials. It is produced by sandwiching layers of aluminum foil and LDPE and fusing them under intense heat and pressure. The resulting product is strong, waterproof & available in a diverse range of decors to create a contemporary cost-effective rain screen facade.

A versatile product, E3 HPL is designed with superior Anti-Fade and Anti-scratch Technology. HPL sheet for exterior and interior cladding is highly popular in the industry. Its wide variety has influenced every home designer & architect's choice extensively. You can also add some shine to your next project from our extensive range of designs & finishes to choose from with enduring dedication to quality. E3 has grown significantly and has reached very high-quality standards.

"As our name suggests E3 is elegant, everlasting & economical."

Product certifications & approvals:





















Features

Some striking characteristics of metal based HPL



















	STANDARD SHEET SIZE		
THICKNESS	2440mm x 1220mm	3050mm x 1220mm	
3mm, 4mm, 6mm	3660mm x 1220mm	2440mm x 1525mm	






Environment Friendly



Fire Retardant


We provide 3D Designs to Disualize your Fream space in a better way























Anti Scratch









E BRAZILLIAN TEAK







E BALINESE OAK



E RUSTIC WALNUT







E ROYAL TEAK



Anti Scratch

Anti Scratch







E GHANA WALNUT







EI VALCANIC OAK



E GOLDEN TEAK







E INDONESIA TEAK



Anti Scratch

Anti Scratch














E GOLD RUSH TIMBER
39 NEW SHADE







E GOLDEN PERLATO
328 NEW SHADE



Venetian soul, TIMELESS SURFACE SI, IT'S ITALIAN Italian / Gae



HPL PANELS





E ALASKA STONE







E GRAPHITE STONE






















E COPPER STONE



A Delicate Harmony of NATURE'S Finest Finish, Crafted For Your Retreat



Timber



Timber Wood

Timber Wood







E ROSE WOOD







E NEW MAHAGONI





E SAPELI





E BLACK EBONY



Little gems of Earth
DESIGNED TO SHAPE
peaceful spaces for you

Debbles






EB HPL PANELS









E DARK EMPRADOR



E SOFT PERLATO







EI PEARL BROWN



Exotic designs that

CRADLE THE STORIES of sunlit days.


Series















EIS 903 DESERT SAND



ES ICELAND SAND








SHADOW GREY







E PURE WHITE



























Thickness of	Minimum distance of holes to edge	Maximum distance	Maximum distance
Sheet		between the holes-width	between the holes-length
6mm	10-20mm	450mm	550mm



37 >



Panels Can Be In Convex Or Concave Shapes

Fixing Detail (with Rivets)

- Black Paint on Plastered Wall.
- Fix Aluminum section on wall, maintain gap of 400 - 700mm center to center with help of cleat vertically.
- Pilot hole must be pre-drilled before fastening rivets tight.
- Size of rivets mut be three times the thickness of panel and gauge of aluminum. Ensure rivets use are fully threaded.

Fixing Detail (without Rivets)

- Slightly rub off the surface of Aluminum section & portion of plank with the help of sand paper before apply Adhesive on it.
- Don't use any silicon in gap filling.
- Maintain the minimum gap of 3mm to 6mm in between the Planks.



*Product color may vary from batch to batch. Please refer shade card / sample for actual shade before placing the order.



*For more details visit: www.e3acp.com

 $_{
m 38}$ >